

**SILVER COIN PROJECT - 2011 ASSAY RESULTS**

HOLE ID	FROM	TO	INTERCEPT	Au	FROM	TO	INTERCEPT	Au
	(metres)	(metres)	(metres)	(g/t)	(feet)	(feet)	(feet)	(oz/ton)
<b>SC11-328</b>	41.2	57.7	16.5	1.57	135.1	189.3	54.1	0.046
<i>including</i>	43.0	43.6	0.6	10.80	141.0	143.0	2.0	0.315
<i>including</i>	54.4	55.9	1.5	7.37	178.4	183.4	4.9	0.215
<b>SC11-329</b>	<i>No significant results</i>							
<b>SC11-330</b>	<i>No significant results</i>							
<b>SC11-331</b>	<i>No significant results</i>							
<b>SC11-332</b>	56.7	60.2	3.5	0.50	186.0	197.5	11.5	0.015
<b>SC11-333</b>	81.0	83.0	2.0	1.10	265.7	272.2	6.6	0.032
	289.2	294.0	4.8	0.48	948.6	964.3	15.7	0.014
<b>SC11-334</b>	1.5	5.0	3.5	0.59	4.9	16.4	11.5	0.017
<i>including</i>	8.2	35.9	27.7	1.33	26.9	117.8	90.9	0.039
	34.2	35.9	1.7	6.65	112.2	117.8	5.6	0.194
	56.5	58.0	1.5	0.86	185.3	190.2	4.9	0.025
	66.6	70.5	3.9	0.54	218.4	231.2	12.8	0.016
<b>SC11-335</b>	86.0	90.0	4.0	0.88	282.1	295.2	13.1	0.026
	104.0	112.5	8.5	0.56	341.1	369.0	27.9	0.016
	128.7	134.5	5.8	0.41	422.1	441.2	19.0	0.012
	138.4	146.5	8.1	0.83	454.0	480.5	26.6	0.024
<b>SC11-336</b>	25.5	30.0	4.5	1.27	83.6	98.4	14.8	0.037
	51.0	52.8	1.8	1.37	167.3	173.2	5.9	0.040
<b>SC11-337</b>	5.5	12.0	6.5	1.25	18.0	39.4	21.3	0.037
	48.5	51.5	3.0	1.07	159.1	168.9	9.8	0.031
	111.0	118.3	7.3	0.62	364.1	387.9	23.8	0.018
<b>SC11-338</b>	52.4	54.3	1.9	0.32	171.9	178.1	6.2	0.009
	84.7	87.9	3.2	2.10	277.8	288.3	10.5	0.061
	94.9	96.9	2.0	1.00	311.3	317.8	6.6	0.029
	103.0	111.0	8.0	1.23	337.8	364.1	26.2	0.036
	125.7	128.4	2.7	0.34	412.3	421.2	8.9	0.010
	134.6	138.3	3.7	1.41	441.5	453.6	12.1	0.041
	153.0	171.0	18.0	1.00	501.8	560.9	59.0	0.029
	185.0	188.4	3.4	0.47	606.8	618.0	11.2	0.014
	191.8	197.6	5.8	1.15	629.1	648.1	19.0	0.034
	222.2	225.4	3.2	1.01	728.8	739.3	10.5	0.029
<b>SC11-339</b>	42.0	48.0	6.0	1.76	137.8	157.4	19.7	0.051
	78.9	82.0	3.1	0.70	258.8	269.0	10.2	0.020
	129.9	131.0	1.1	1.60	426.1	429.7	3.6	0.047
	183.2	189.0	5.8	0.50	600.9	619.9	19.0	0.015
<b>SC11-340</b>	122.6	127.6	5.0	1.24	402.1	418.5	16.4	0.036
	130.4	133.5	3.1	0.33	427.7	437.9	10.2	0.010
	136.1	151.0	14.9	0.73	446.4	495.3	48.9	0.021
	157.6	168.0	10.4	2.69	516.9	551.0	34.1	0.079
<i>including</i>	161.7	163.0	1.3	7.18	530.4	534.6	4.3	0.210
<i>including</i>	164.0	165.4	1.4	5.49	537.9	542.5	4.6	0.160

HOLE ID	FROM	TO	INTERCEPT	Au	FROM	TO	INTERCEPT	Au
	(metres)	(metres)	(metres)	(g/t)	(feet)	(feet)	(feet)	(oz/ton)
<b>SC11-340</b>	169.6	173.9	4.3	0.36	556.3	570.4	14.1	0.011
<b>SC11-341</b>	37.2	42.0	4.8	0.60	122.0	137.8	15.7	0.018
<i>including</i>	89.6	106.0	16.4	2.67	293.9	347.7	53.8	0.078
	100.0	103.0	3.0	10.65	328.0	337.8	9.8	0.311
<b>SC11-342</b>	33.2	36.0	2.8	0.91	108.9	118.1	9.2	0.027
<b>SC11-343</b>	8.7	12.0	3.3	0.50	28.5	39.4	10.8	0.015
<i>including</i>	34.5	43.5	9.0	0.66	113.2	142.7	29.5	0.019
	46.2	54.0	7.8	3.30	151.5	177.1	25.6	0.096
	51.0	52.5	1.5	9.35	167.3	172.2	4.9	0.273
	73.9	83.7	9.8	0.69	242.4	274.5	32.1	0.020
	87.0	89.0	2.0	0.71	285.4	291.9	6.6	0.021
	227.5	229.4	1.9	1.12	746.2	752.4	6.2	0.033
<b>SC11-344</b>	<i>Not sampled</i>							
<b>SC11-345</b>	60.0	61.2	1.2	0.30	196.85	200.79	3.94	0.009
<i>including</i>	66.1	68.7	2.6	3.60	216.86	225.39	8.53	0.105
	66.1	67.4	1.2	6.72	216.86	221.13	3.94	0.196
	74.4	76.0	1.6	0.56	244.09	249.34	5.25	0.016
<b>SC11-346</b>	56.0	57.6	1.6	0.52	183.7	188.9	5.2	0.015
<b>SC11-347</b>	86.1	89.2	3.1	0.58	282.4	292.6	10.2	0.017
	97.6	104.6	7.0	0.66	320.1	343.1	23.0	0.019
<b>SC11-348</b>	67.6	69.5	1.9	3.45	221.7	228.0	6.2	0.101
<b>SC11-349</b>	61.6	64.0	2.4	4.58	202.0	209.9	7.9	0.134
<b>SC11-350</b>	57.2	59.9	2.7	0.51	187.6	196.4	8.8	0.015
	64.4	67.3	2.9	0.48	211.1	220.7	9.6	0.014
	79.2	85.8	6.6	1.57	259.8	281.3	21.5	0.046
	91.8	94.8	2.9	0.81	301.2	310.8	9.6	0.024
	99.2	104.3	5.1	4.23	325.4	342.1	16.7	0.124
	107.0	121.9	14.9	0.66	351.0	399.8	48.8	0.019
<b>SC11-351</b>	22.4	25.0	2.6	0.62	73.5	82.0	8.5	0.018
	58.0	62.5	4.5	0.49	190.2	205.0	14.8	0.014
	84.5	91.6	7.1	0.75	277.2	300.4	23.3	0.022
<i>including</i>	93.5	150.2	56.7	1.48	306.7	492.7	186.0	0.043
	116.5	117.7	1.2	4.86	382.1	386.1	3.9	0.142
	151.8	155.0	3.2	0.46	497.9	508.4	10.5	0.013
	159.0	174.0	15.0	0.93	521.5	570.7	49.2	0.027
	179.0	181.0	2.0	5.65	587.1	593.7	6.6	0.165
<i>including</i>	189.7	202.7	13.0	3.90	622.2	664.9	42.6	0.114
	200.8	201.3	0.5	43.80	658.6	660.3	1.6	1.279
	206.0	209.6	3.6	0.54	675.7	687.5	11.8	0.016
<b>SC11-352</b>	<i>Not sampled</i>							
<b>SC11-353</b>	54.5	61.0	6.5	0.74	178.8	200.1	21.3	0.022
	64.0	67.0	3.0	0.42	209.9	219.8	9.8	0.012
	171.1	174.1	3.0	18.70	561.2	571.0	9.8	0.546
<b>SC11-354</b>	49.4	55.2	5.8	0.86	162.0	181.1	19.0	0.025
	56.2	72.0	15.8	0.40	184.3	236.2	51.8	0.012

HOLE ID	FROM	TO	INTERCEPT LENGTH	Au	FROM	TO	INTERCEPT LENGTH	Au
	(metres)	(metres)	(metres)	(g/t)	(feet)	(feet)	(feet)	(oz/ton)
<b>SC11-354</b>	113.4	129.9	16.5	2.11	372.0	426.1	54.1	0.062
	137.3	141.1	3.8	0.55	450.3	462.8	12.5	0.016
	143.6	152.4	8.8	2.04	471.0	499.9	28.9	0.060
	160.6	164.3	3.7	1.54	526.8	538.9	12.1	0.045
	197.7	203.8	6.1	1.00	648.5	668.5	20.0	0.029
<b>SC11-355</b>	40.8	43.4	2.6	0.99	133.8	142.4	8.5	0.029
	52.8	60.1	7.3	0.59	173.2	197.1	23.9	0.017
	66.0	67.5	1.5	6.50	216.5	221.4	4.9	0.190
	81.5	84.5	3.0	2.12	267.3	277.2	9.8	0.062
	88.1	95.5	7.4	0.69	289.0	313.2	24.3	0.020
	187.0	192.8	5.8	1.55	613.4	632.4	19.0	0.045
<b>SC11-356</b>	38.2	41.0	2.8	0.33	125.3	134.5	9.2	0.010
	84.9	88.6	3.7	0.49	278.5	290.6	12.1	0.014
	110.9	118.7	7.8	0.55	363.8	389.3	25.6	0.016
	122.9	127.1	4.2	0.70	403.1	416.9	13.8	0.020
	127.9	134.7	6.8	0.61	419.5	441.8	22.3	0.018
	136.3	148.4	12.1	1.19	447.1	486.8	39.7	0.035
	153.2	160.0	6.8	2.29	502.5	524.8	22.3	0.067
	<i>including</i> 157.6	<i>159.1</i>	<i>1.5</i>	<i>5.67</i>	<i>516.9</i>	<i>521.8</i>	<i>4.9</i>	<i>0.166</i>
	168.0	177.2	9.2	0.93	551.0	581.2	30.2	0.027
	185.9	192.3	6.4	3.70	609.8	630.7	21.0	0.108
	<i>including</i> 185.9	<i>187.5</i>	<i>1.6</i>	<i>12.76</i>	<i>609.8</i>	<i>615.0</i>	<i>5.2</i>	<i>0.373</i>
	200.3	202.6	2.3	0.53	657.0	664.5	7.5	0.015
	204.0	206.4	2.4	0.95	669.1	677.0	7.9	0.028
208.0	210.0	2.0	1.14	682.2	688.8	6.6	0.033	
<b>SC11-357</b>	33.5	36.7	3.2	0.79	109.9	120.4	10.5	0.023
	91.5	94.5	3.0	24.96	300.1	310.0	9.8	0.729
	<i>including</i> 93.0	<i>94.5</i>	<i>1.5</i>	<i>48.30</i>	<i>305.0</i>	<i>310.0</i>	<i>4.9</i>	<i>1.410</i>
	102.5	104.0	1.5	9.48	336.2	341.1	4.9	0.277
	109.2	115.0	5.8	1.19	358.2	377.2	19.0	0.035
	116.4	117.8	1.4	0.78	381.8	386.4	4.6	0.023
	159.6	167.6	8.0	0.41	523.5	549.7	26.2	0.012
	171.4	181.3	9.9	0.50	562.2	594.7	32.5	0.015
	184.0	200.6	16.6	3.25	603.5	658.0	54.4	0.095
	<i>including</i> 187.0	<i>188.5</i>	<i>1.5</i>	<i>16.20</i>	<i>613.4</i>	<i>618.3</i>	<i>4.9</i>	<i>0.473</i>
	<i>including</i> 190.0	<i>191.5</i>	<i>1.5</i>	<i>6.62</i>	<i>623.2</i>	<i>628.1</i>	<i>4.9</i>	<i>0.193</i>
	204.4	208.9	4.5	2.13	670.4	685.2	14.8	0.062
279.7	284.6	4.9	0.55	917.4	933.5	16.1	0.016	
<b>SC11-358</b>	28.0	33.5	5.5	1.33	91.8	109.9	18.0	0.039
	35.4	38.0	2.6	0.39	116.1	124.6	8.5	0.011
	46.1	48.0	1.9	0.35	151.2	157.4	6.2	0.010
	79.5	87.0	7.5	1.51	260.8	285.4	24.6	0.044
	91.5	117.0	25.5	1.85	300.1	383.8	83.6	0.054
	<i>including</i> 100.0	<i>108.4</i>	<i>8.4</i>	<i>3.78</i>	<i>328.0</i>	<i>355.6</i>	<i>27.6</i>	<i>0.110</i>
	119.9	129.6	9.7	0.73	393.3	425.1	31.8	0.021
	133.0	161.4	28.4	1.25	436.2	529.4	93.2	0.037

HOLE ID	FROM	TO	INTERCEPT LENGTH	Au	FROM	TO	INTERCEPT LENGTH	Au
	(metres)	(metres)	(metres)	(g/t)	(feet)	(feet)	(feet)	(oz/ton)
<i>including</i>	154.0	155.4	1.4	3.75	505.1	509.7	4.6	0.110
<b>SC11-358EXT</b>	125.8	129.2	3.4	1.07	412.6	423.8	11.2	0.031
	133.0	162.9	29.9	1.16	436.2	534.3	98.1	0.034
<i>including</i>	158.0	159.6	1.6	4.32	518.2	523.5	5.2	0.126
<b>SC11-359</b>	22.5	35.4	12.9	0.81	73.8	116.1	42.3	0.024
	39.0	47.5	8.5	0.59	127.9	155.8	27.9	0.017
	48.6	51.2	2.6	3.47	159.4	167.9	8.5	0.101
	53.6	57.0	3.4	0.54	175.8	187.0	11.2	0.016
	58.5	66.7	8.2	0.75	191.9	218.8	26.9	0.022
	70.1	81.0	10.9	0.95	229.9	265.7	35.8	0.028
	84.0	89.2	5.2	0.63	275.5	292.6	17.1	0.018
	103.7	111.7	8.0	0.36	340.1	366.4	26.2	0.011
	112.7	122.0	9.3	2.60	369.7	400.2	30.5	0.076
<i>including</i>	121.0	122.0	1.0	10.60	396.9	400.2	3.3	0.310
<b>SC11-360</b>	14.2	24.3	10.1	2.15	46.6	79.7	33.1	0.063
<i>including</i>	19.0	20.4	1.4	7.00	62.3	66.9	4.6	0.204
	25.9	31.3	5.4	0.46	85.0	102.7	17.7	0.013
	43.9	46.7	2.8	0.39	144.0	153.2	9.2	0.011
	62.5	67.0	4.5	0.65	205.0	219.8	14.8	0.019
	69.5	74.7	5.2	0.38	228.0	245.0	17.1	0.011
	92.5	97.0	4.5	1.72	303.4	318.2	14.8	0.050
<b>SC11-361</b>	58.0	66.0	8.0	25.24	190.2	216.5	26.2	0.737
<i>including</i>	58.0	60.0	2.0	99.99	190.2	196.8	6.6	2.920
	81.0	84.0	3.0	0.37	265.7	275.5	9.8	0.011
	85.3	88.7	3.4	1.02	279.8	290.9	11.2	0.030
	92.0	100.8	8.8	1.38	301.8	330.6	28.9	0.040
<i>including</i>	92.9	94.8	1.9	4.12	304.7	310.9	6.2	0.120
	103.0	107.5	4.5	0.61	337.8	352.6	14.8	0.018
<b>SC11-362</b>	99.2	102.5	3.3	0.86	325.4	336.2	10.8	0.025
	109.5	113.4	3.9	1.66	359.2	372.0	12.8	0.048
<i>including</i>	111.0	111.5	0.5	5.64	364.1	365.8	1.7	0.165
	135.0	142.2	7.2	0.52	442.8	466.4	23.6	0.015
	146.0	157.6	11.6	2.50	478.9	516.9	38.0	0.073
<i>including</i>	146.0	146.6	0.6	16.30	478.9	480.8	2.0	0.476
<i>including</i>	157.0	157.6	0.7	6.74	514.8	516.9	2.1	0.197
	168.8	172.5	3.8	1.36	553.5	565.9	12.4	0.040
	178.0	181.0	3.0	0.98	583.8	593.7	9.8	0.029
	186.8	191.9	5.0	0.97	612.8	629.3	16.5	0.028
<b>SC11-363</b>	128.0	155.0	27.0	5.79	419.8	508.4	88.6	0.169
<i>including</i>	129.5	132.7	3.2	12.48	424.8	435.3	10.5	0.364
<i>including</i>	137.0	140.0	3.0	22.23	449.4	459.2	9.8	0.649
<i>including</i>	147.0	148.5	1.5	9.64	482.2	487.1	4.9	0.281
	156.4	170.8	14.4	1.65	513.0	560.2	47.2	0.048
<i>including</i>	160.9	161.9	1.0	7.94	527.8	531.0	3.3	0.232
	173.5	191.0	17.5	1.75	569.1	626.5	57.4	0.051
<i>including</i>	180.0	181.5	1.5	9.89	590.4	595.3	4.9	0.289

HOLE ID	FROM	TO	INTERCEPT	Au	FROM	TO	INTERCEPT	Au
	(metres)	(metres)	(metres)	(g/t)	(feet)	(feet)	(feet)	(oz/ton)
<b>SC11-364</b>	66.0	68.5	2.5	0.48	216.5	224.7	8.2	0.014
	103.6	106.0	2.4	1.01	339.9	347.7	7.7	0.029
	108.2	111.5	3.3	0.42	354.8	365.7	11.0	0.012
	126.3	129.6	3.3	3.44	414.4	425.2	10.8	0.100
	<i>including</i> 127.1	<i>128.5</i>	<i>1.4</i>	<i>7.57</i>	<i>417.0</i>	<i>421.5</i>	<i>4.5</i>	<i>0.221</i>
<b>SC11-365</b>	89.5	93.5	4.0	3.80	293.4	306.6	13.2	0.111
	<i>including</i> 89.5	<i>90.5</i>	<i>1.1</i>	<i>8.22</i>	<i>293.4</i>	<i>296.9</i>	<i>3.5</i>	<i>0.240</i>
	95.9	100.4	4.5	0.77	314.5	329.2	14.8	0.022
	116.2	125.5	9.4	1.66	381.0	411.7	30.7	0.048
	<i>including</i> 124.6	<i>125.5</i>	<i>1.0</i>	<i>5.12</i>	<i>408.6</i>	<i>411.7</i>	<i>3.1</i>	<i>0.150</i>
<b>SC11-366</b>	135.0	138.0	3.0	0.72	442.8	452.6	9.8	0.021
<b>SC11-367</b>	58.0	74.0	16.0	1.51	190.2	242.7	52.5	0.044
	78.0	80.7	2.7	0.56	255.8	264.6	8.7	0.016
	88.5	97.5	9.0	1.00	290.3	319.8	29.5	0.029
	103.0	107.4	4.4	0.84	337.8	352.1	14.3	0.025
	111.5	115.0	3.5	0.62	365.7	377.2	11.5	0.018
	117.5	120.5	3.0	0.39	385.4	395.2	9.8	0.011
	147.0	149.7	2.7	0.42	482.2	490.9	8.8	0.012
	156.4	159.5	3.1	0.38	512.8	523.1	10.2	0.011
	220.0	222.6	2.6	0.58	721.6	730.0	8.4	0.017
	223.0	226.5	3.5	2.29	731.5	742.9	11.4	0.067
<b>SC11-368</b>	128.5	131.6	3.1	7.15	421.5	431.6	10.2	0.209
<b>SC11-369</b>	11.0	13.5	2.5	0.38	36.1	44.3	8.2	0.011
<b>SC11-370</b>	41.5	45.4	3.9	1.00	136.1	148.9	12.8	0.029
	75.6	81.3	5.8	0.74	247.9	266.8	18.9	0.022
	101.0	103.4	2.4	0.86	331.3	339.2	7.9	0.025
	148.0	150.5	2.5	0.38	485.4	493.6	8.1	0.011
	161.5	169.0	7.5	1.36	529.7	554.3	24.6	0.040
	171.8	174.0	2.1	0.58	563.6	570.6	7.0	0.017
	198.1	210.5	12.4	0.94	649.8	690.4	40.7	0.027
	236.0	249.3	13.4	2.81	773.9	817.8	43.9	0.082
	<i>including</i> 239.4	<i>242.0</i>	<i>2.6</i>	<i>6.07</i>	<i>785.2</i>	<i>793.8</i>	<i>8.5</i>	<i>0.177</i>
<b>SC11-371</b>	2.1	4.5	2.4	1.03	6.89	14.76	7.87	0.030
	12.5	15.5	3.0	0.67	41.01	50.85	9.84	0.019
	17.6	18.9	1.2	0.68	57.74	62.01	3.94	0.020
	110.0	115.5	5.5	0.60	360.89	378.94	18.04	0.018
<b>SC11-372</b>	36.0	41.5	5.5	0.57	118.1	136.1	18.0	0.017
	43.4	47.0	3.6	1.43	142.4	154.2	11.8	0.042
	53.7	58.7	5.0	0.42	176.1	192.5	16.4	0.012
	102.5	111.5	9.0	0.82	336.2	365.7	29.5	0.024
<b>SC11-373</b>	80.5	90.0	9.5	0.40	264.0	295.2	31.2	0.012
	100.0	118.3	18.3	0.82	328.0	388.0	60.0	0.024
	119.6	123.8	4.2	0.41	392.3	406.1	13.8	0.012
	141.5	144.6	3.1	0.87	464.1	474.3	10.2	0.025
	149.6	156.4	6.8	0.44	490.7	513.0	22.3	0.013

HOLE ID	FROM	TO	INTERCEPT	Au	FROM	TO	INTERCEPT	Au
	(metres)	(metres)	(metres)	(g/t)	(feet)	(feet)	(feet)	(oz/ton)
<b>SC11-373</b>	247.8	248.8	1.0	13.63	812.8	816.1	3.3	0.398
<b>SC11-374</b>	<i>No significant results</i>							
<b>SC11-375</b>	<i>No significant results</i>							
<b>SC11-376</b>  <i>including</i>	24.4	29.9	5.5	0.76	80.0	98.1	18.0	0.022
	44.5	49.1	4.6	4.94	146.0	161.0	15.1	0.144
	44.5	46.0	1.5	9.90	146.0	150.9	4.9	0.289
	62.9	65.4	2.5	2.13	206.3	214.5	8.2	0.062
	197.5	201.5	4.0	0.49	647.8	660.9	13.1	0.014
<b>SC11-377</b>	<i>No significant results</i>							
<b>SC11-378</b>	<i>No significant results</i>							
<b>SC11-379</b>	187.0	204.5	17.5	1.40	613.4	670.8	57.4	0.041
	208.2	216.8	8.6	1.41	682.9	711.1	28.2	0.041
	218.4	221.3	2.9	0.61	716.4	725.9	9.5	0.018
<b>SC11-380</b>	30.0	32.0	2.0	0.87	98.4	105.0	6.6	0.025
	48.0	50.6	2.6	0.68	157.4	166.0	8.5	0.020
	56.0	58.0	2.0	2.75	183.7	190.2	6.6	0.080
	63.4	66.1	2.7	0.73	208.0	216.8	8.9	0.021
	90.8	99.5	8.7	1.06	297.8	326.4	28.5	0.031
	112.6	114.7	2.1	0.96	369.3	376.2	6.9	0.028
	138.5	146.4	7.9	0.37	454.3	480.2	25.9	0.011
	148.3	151.8	3.5	0.64	486.4	497.9	11.5	0.019
<b>SC11-381</b>	<i>No significant results</i>							
<b>SC11-382</b>	33.3	36.2	2.9	0.37	109.2	118.7	9.5	0.011
	37.8	40.0	2.2	0.94	124.0	131.2	7.2	0.027
<b>SC11-383</b>	1.5	8.2	6.6	0.64	4.92	26.90	21.65	0.019
	19.8	22.8	3.0	0.31	64.96	74.80	9.84	0.009
	37.5	38.8	1.3	3.36	123.03	127.30	4.27	0.098
	88.3	93.9	5.5	0.32	289.70	308.07	18.04	0.009
	94.5	95.3	0.8	0.48	310.04	312.66	2.62	0.014
	101.3	103.1	1.8	2.44	332.35	338.25	5.91	0.071
	106.2	107.7	1.5	0.38	348.43	353.35	4.92	0.011
136.6	139.6	3.0	0.38	448.16	458.01	9.84	0.011	
<b>SC11-384B</b>	14.2	21.4	7.2	2.47	46.6	70.2	23.6	0.072
	24.0	30.0	6.0	0.76	78.7	98.4	19.7	0.022
	54.9	57.3	2.4	0.77	180.1	187.9	7.9	0.022
	71.7	74.4	2.7	1.60	235.2	244.0	8.9	0.047
	75.6	79.8	4.2	0.61	248.0	261.7	13.8	0.018
	125.9	128.4	2.5	0.69	413.0	421.2	8.2	0.020
	165.0	170.9	5.8	1.48	541.2	560.4	19.2	0.043
177.4	182.3	4.9	0.68	581.9	597.9	16.1	0.020	
<b>SC11-385</b>	<i>No significant results</i>							
<b>SC11-386</b>	75.9	78.6	2.7	0.31	249.0	257.8	8.9	0.009
	83.3	88.1	4.8	1.00	273.2	289.0	15.7	0.029
	93.5	108.6	15.1	0.62	306.7	356.2	49.5	0.018
	111.5	116.6	5.1	8.11	365.7	382.4	16.7	0.237

HOLE ID	FROM	TO	INTERCEPT LENGTH	Au	FROM	TO	INTERCEPT LENGTH	Au
	(metres)	(metres)	(metres)	(g/t)	(feet)	(feet)	(feet)	(oz/ton)
<i>including</i>	112.9	114.5	1.6	22.79	370.3	375.6	5.2	0.665
	131.4	134.3	2.9	0.40	431.0	440.5	9.5	0.012
	135.4	141.4	6.0	1.22	444.1	463.8	19.7	0.036
	162.9	165.6	2.7	2.79	534.3	543.2	8.9	0.081
<i>including</i>	162.9	164.0	1.1	5.70	534.3	537.9	3.6	0.166
	171.2	182.3	11.1	0.67	561.5	597.9	36.4	0.020
<b>SC11-387</b>	<i>No significant results</i>							
<b>SC11-389</b>	<i>No significant results</i>							
<b>SC11-390</b>	<i>No significant results</i>							
<b>SC11-391B</b>	3.1	14.9	11.8	5.27	10.2	48.9	38.7	0.154
<i>including</i>	3.1	6.1	3.0	6.69	10.2	20.0	9.8	0.195
<b>SC11-392</b>	<i>No significant results</i>							
<b>SC11-393</b>	<i>No significant results</i>							
<b>SC11-394</b>	47.9	54.0	6.1	1.42	157.1	177.1	20.0	0.041
	93.0	96.1	3.1	0.51	305.0	315.2	10.2	0.015
<b>SC11-395</b>	<i>Not sampled</i>							
<b>SC11-396</b>	<i>No significant results</i>							
<b>SC11-397</b>	<i>No significant results</i>							
<b>SC11-398</b>	<i>Not sampled</i>							
<b>SC11-399</b>	<i>No significant results</i>							
<b>SC11-400</b>	<i>No significant results</i>							
<b>SC11-401</b>	<i>No significant results</i>							
<b>SC11-402</b>	<i>No significant results</i>							
<b>SC11-403</b>	<i>Not sampled</i>							
<b>SC11-404</b>	27.0	30.3	3.3	4.15	88.6	99.4	10.8	0.121
<i>including</i>	27.0	28.8	1.8	5.07	88.6	94.5	5.9	0.148
	33.0	36.0	3.0	1.20	108.2	118.1	9.8	0.035
	64.5	78.8	14.3	7.97	211.6	258.5	46.9	0.233
<i>including</i>	67.5	75.7	8.2	12.54	221.4	248.3	26.9	0.366
<i>including</i>	67.5	68.8	1.3	22.51	221.4	225.7	4.3	0.657
<i>including</i>	74.4	75.7	1.3	16.09	244.0	248.3	4.3	0.470
<b>SC11-405</b>	28.0	33.0	5.0	0.53	91.86	108.27	16.40	0.015
	75.4	82.2	6.8	0.69	247.38	269.69	22.31	0.020
<b>SC11-406</b>	<i>No significant results</i>							
<b>SC11-407</b>	14.5	17.3	2.8	0.49	47.6	56.7	9.2	0.014
	19.0	22.0	3.0	0.54	62.3	72.2	9.8	0.016
	58.0	60.7	2.7	0.45	190.2	199.1	8.9	0.013
	65.3	71.4	6.1	1.09	214.2	234.2	20.0	0.032
	76.8	79.6	2.8	0.47	251.9	261.1	9.2	0.014
<b>SC11-408</b>	37.7	41.8	4.1	0.78	123.7	137.1	13.4	0.023
	50.0	53.0	3.0	0.46	164.0	173.8	9.8	0.013
	61.1	64.3	3.2	0.42	200.4	210.9	10.5	0.012
	139.4	142.3	2.9	0.44	457.2	466.7	9.5	0.013
<b>SC11-409</b>	15.2	21.0	5.8	2.69	49.9	68.9	19.0	0.079
	26.7	30.0	3.3	3.54	87.6	98.4	10.8	0.103

HOLE ID	FROM (metres)	TO (metres)	INTERCEPT LENGTH (metres)	Au (g/t)	FROM (feet)	TO (feet)	INTERCEPT LENGTH (feet)	Au (oz/ton)
<b>SC11-410</b>	<i>No significant results</i>							
<b>SC11-411</b>	<i>No significant results</i>							
<b>SC11-412</b>	13.4	14.0	0.6	21.49	44.0	45.9	2.0	0.628
	17.3	21.5	4.2	1.68	56.6	70.5	13.9	0.049
<b>SC11-413</b>	16.0	28.0	12.0	0.60	52.5	91.8	39.4	0.018
	45.0	73.6	28.6	1.24	147.6	241.4	93.8	0.036
	<i>including</i> 49.5	<i>51.0</i>	<i>1.5</i>	<i>7.22</i>	<i>162.4</i>	<i>167.3</i>	<i>4.9</i>	<i>0.211</i>
<b>SC11-414</b>	<i>No significant results</i>							
<b>SC11-415</b>	11.4	17.1	5.7	0.48	37.4	56.1	18.7	0.014
	18.3	21.2	2.9	0.66	60.0	69.5	9.5	0.019
	27.2	30.8	3.6	0.87	89.2	101.0	11.8	0.025
	40.1	85.0	44.9	2.86	131.5	278.8	147.3	0.084
	<i>including</i> 50.0	<i>52.8</i>	<i>2.8</i>	<i>5.95</i>	<i>164.0</i>	<i>173.2</i>	<i>9.2</i>	<i>0.174</i>
	<i>including</i> 61.0	<i>62.8</i>	<i>1.8</i>	<i>12.10</i>	<i>200.1</i>	<i>206.0</i>	<i>5.9</i>	<i>0.353</i>
	<i>including</i> 70.3	<i>71.9</i>	<i>1.6</i>	<i>7.60</i>	<i>230.6</i>	<i>235.8</i>	<i>5.2</i>	<i>0.222</i>
	<i>including</i> 73.4	<i>74.7</i>	<i>1.3</i>	<i>13.31</i>	<i>240.8</i>	<i>245.0</i>	<i>4.3</i>	<i>0.389</i>
<i>including</i> 76.0	<i>77.6</i>	<i>1.6</i>	<i>9.80</i>	<i>249.3</i>	<i>254.5</i>	<i>5.2</i>	<i>0.286</i>	
<b>SC11-416</b>	<i>No significant results</i>							
<b>SC11-417</b>	11.7	25.8	14.1	0.44	38.39	84.65	46.26	0.013
	28.0	28.4	0.4	1.11	91.86	93.18	1.31	0.032
	37.3	89.0	51.7	2.23	122.38	291.99	169.62	0.065
	<i>including</i> 58.7	<i>71.2</i>	<i>12.5</i>	<i>3.64</i>	<i>192.59</i>	<i>233.60</i>	<i>41.01</i>	<i>0.106</i>
	<i>including</i> 58.7	<i>60.3</i>	<i>1.6</i>	<i>10.90</i>	<i>192.59</i>	<i>197.83</i>	<i>5.25</i>	<i>0.318</i>
	<i>including</i> 63.4	<i>66.5</i>	<i>3.1</i>	<i>5.60</i>	<i>207.91</i>	<i>218.14</i>	<i>10.17</i>	<i>0.160</i>
	<i>including</i> 83.0	<i>89.0</i>	<i>6.0</i>	<i>7.92</i>	<i>272.31</i>	<i>291.99</i>	<i>19.69</i>	<i>0.231</i>
	<i>including</i> 84.4	<i>86.0</i>	<i>1.6</i>	<i>25.10</i>	<i>276.90</i>	<i>282.15</i>	<i>5.25</i>	<i>0.732</i>
<b>SC11-418</b>	<i>Not sampled</i>							
<b>SC11-419</b>	8.8	21.0	12.2	0.93	28.87	68.90	40.03	0.027
	<i>including</i> 8.8	<i>10.0</i>	<i>1.2</i>	<i>5.31</i>	<i>28.87</i>	<i>32.81</i>	<i>3.94</i>	<i>0.155</i>
	30.8	35.5	4.7	0.38	101.05	116.47	15.42	0.011
	38.4	40.0	1.6	0.49	125.98	131.23	5.25	0.014
	48.2	57.0	8.8	0.68	158.14	187.01	28.87	0.020
	60.0	70.0	10.0	0.53	196.85	229.66	32.81	0.015
	72.9	77.0	4.2	0.62	239.17	252.62	13.78	0.018
	<i>including</i> 74.4	<i>74.7</i>	<i>0.3</i>	<i>4.29</i>	<i>244.09</i>	<i>245.08</i>	<i>0.98</i>	<i>0.125</i>
	80.0	96.8	16.8	1.01	262.47	317.59	55.12	0.029
<i>including</i> 84.7	<i>91.9</i>	<i>7.3</i>	<i>1.83</i>	<i>277.89</i>	<i>301.51</i>	<i>23.95</i>	<i>0.053</i>	
<b>SC11-420</b>	7.6	17.4	9.8	0.45	24.93	57.09	32.15	0.013
	74.1	74.4	0.3	0.73	243.11	244.09	0.98	0.021
<b>SC11-421</b>	10.9	15.2	4.3	0.45	35.76	49.87	14.11	0.013
	19.3	37.5	18.2	1.03	63.32	123.03	59.71	0.030
	<i>including</i> 21.0	<i>25.3</i>	<i>4.3</i>	<i>2.94</i>	<i>68.90</i>	<i>83.01</i>	<i>14.11</i>	<i>0.086</i>
	39.0	42.0	3.0	0.30	127.95	137.80	9.84	0.009
	42.0	51.0	9.0	1.64	137.80	167.32	29.53	0.048
51.0	52.4	1.4	0.38	167.32	171.92	4.59	0.011	



HOLE ID	FROM	TO	INTERCEPT	Au	FROM	TO	INTERCEPT	Au
	(metres)	(metres)	(metres)	(g/t)	(feet)	(feet)	(feet)	(oz/ton)
<b>SC11-421</b> <i>including</i>	59.0	65.5	6.5	1.33	193.57	214.90	21.33	0.039
	64.4	65.5	1.1	5.65	211.29	214.90	3.61	0.165
	69.2	72.6	3.4	0.70	227.03	238.19	11.15	0.020
	78.0	81.7	3.7	1.22	255.91	268.04	12.14	0.036
	87.0	88.5	1.5	0.49	285.43	290.35	4.92	0.014
	108.0	110.4	2.4	0.44	354.33	362.20	7.87	0.013
<b>SC11-422</b> <i>including</i>	18.3	33.2	14.9	2.45	60.04	108.92	48.88	0.072
	30.2	33.2	3.0	6.90	99.08	108.92	9.84	0.201
<b>SC11-423</b>	34.4	40.5	6.1	1.07	112.86	132.87	20.01	0.031
	46.6	49.7	3.1	0.41	152.89	163.06	10.17	0.012
<b>SC11-424</b>        <i>including</i> <i>including</i> <i>including</i> <i>including</i>	2.4	5.7	3.2	0.33	7.87	18.70	10.50	0.010
	7.4	13.0	5.6	0.37	24.28	42.65	18.37	0.011
	15.5	19.4	3.9	0.50	50.85	63.65	12.80	0.015
	25.2	26.9	1.7	0.54	82.68	88.25	5.58	0.016
	36.8	38.6	1.9	0.32	120.73	126.64	6.23	0.009
	60.0	60.8	0.8	0.37	196.85	199.48	2.62	0.011
	64.6	70.0	5.4	0.39	211.94	229.66	17.72	0.011
	72.5	100.0	27.4	8.04	237.86	328.08	89.90	0.234
	78.5	96.9	18.5	11.68	257.55	317.91	60.70	0.341
	85.5	91.5	6.0	25.47	280.51	300.20	19.69	0.743
	88.0	89.0	1.0	72.37	288.71	291.99	3.28	2.111
93.0	95.5	2.5	16.77	305.12	313.32	8.20	0.489	
<b>SC11-425</b>	17.63	20.73	3.10	2.18	57.84	68.01	10.2	0.064
	35.97	45.11	9.14	5.10	118.01	148.00	30.0	0.149
<b>SC11-426</b>   <i>including</i>	102	103.75	1.75	1.52	334.64	340.38	5.7	0.044
	108	109.43	1.43	1.08	354.33	359.02	4.7	0.032
	113.05	117.95	4.90	1.85	370.89	386.97	16.1	0.054
	116.65	117.95	1.30	4.20	382.71	386.97	4.3	0.122
	146	149	3.00	2.12	479.00	488.84	9.8	0.062
<b>SC11-427</b>	30.14	30.6	0.46	1.29	98.88	100.39	1.5	0.037
<b>SC11-428</b>	<i>No significant results</i>							
<b>SC11-429</b>	<i>No significant results</i>							
<b>SC11-430</b>	102	104.43	2.43	1.67	334.64	342.61	8.0	0.049
	110.5	112	1.50	1.13	362.53	367.45	4.9	0.033
	119	122	3.00	1.29	390.42	400.26	9.8	0.038
	147.50	149.00	1.50	2.95	483.92	488.84	4.9	0.086
	156.00	158.24	2.24	3.50	511.80	519.15	7.3	0.102
<b>SC11-431</b>	5.33	8.68	3.35	5.60	17.49	28.48	11.0	0.163
	125.88	127.41	1.53	1.42	412.99	418.01	5.0	0.042
	169.73	170.55	0.82	2.19	556.85	559.54	2.7	0.064
<b>SC11-432</b>	60.26	63.09	2.83	1.72	197.70	206.99	9.3	0.050
	66.14	67.60	1.46	1.41	216.99	221.78	4.8	0.041
<b>SC11-433</b>	25.1	28.35	3.25	2.31	82.35	93.01	10.7	0.067
	40.53	43.58	3.05	5.67	132.97	142.98	10.0	0.165
<b>SC11-434</b>	46.44	49	2.56	7.96	152.36	160.76	8.4	0.232

HOLE ID	FROM	TO	INTERCEPT LENGTH	Au	FROM	TO	INTERCEPT LENGTH	Au
	(metres)	(metres)	(metres)	(g/t)	(feet)	(feet)	(feet)	(oz/ton)
	54.55	55.95	1.40	2.28	178.97	183.56	4.6	0.067
	87.58	88.07	0.49	1.91	287.33	288.94	1.6	0.056
	177	178.36	1.36	1.14	580.70	585.16	4.5	0.033
<b>SC11-435</b>	173.43	174.95	1.52	1.09	568.99	573.98	5.0	0.032
	193.28	194.77	1.49	2.81	634.11	639.00	4.9	0.082
<b>SC11-436</b>	<i>No significant results</i>							
<b>SC11-436A</b>	<i>No significant results</i>							
<b>SC11-437</b>	11.98	13	1.02	1.17	39.30	42.65	3.3	0.034
	21	21.34	0.34	3.02	68.90	70.01	1.1	0.088
	39.7	46.66	6.96	4.34	130.25	153.08	22.8	0.127
<i>including</i>	45.48	46.66	1.18	19.12	149.21	153.08	3.9	0.558
	59.38	60.96	1.58	1.02	194.81	200.00	5.2	0.030
	67.77	73.15	5.38	1.89	222.34	239.99	17.7	0.055
	112.54	117	4.46	14.98	369.22	383.85	14.6	0.437
<b>SC11-438</b>	1.52	3	1.48	1.55	4.99	9.84	4.9	0.045
	4	5.25	1.25	1.07	13.12	17.22	4.1	0.031
	66.57	69.49	2.92	6.61	218.40	227.98	9.6	0.193
<b>SC11-439</b>	31.05	32	0.95	1.02	101.87	104.99	3.1	0.030
	49.17	50.7	1.53	2.23	161.32	166.34	5.0	0.065
	54.56	55.1	0.54	3.66	179.00	180.77	1.8	0.107
	58.46	60	1.54	4.45	191.80	196.85	5.1	0.130
	125.07	126.57	1.50	5.22	410.33	415.25	4.9	0.152
	147	148.5	1.50	21.22	482.28	487.20	4.9	0.619
	190.77	194.89	4.12	1.94	625.88	639.40	13.5	0.057
	197.82	199.22	1.40	1.22	649.01	653.60	4.6	0.036
<b>SC11-440</b>	27.43	30.48	3.05	1.82	89.99	100.00	10.0	0.053
	33.53	37.05	3.52	6.79	110.01	121.55	11.5	0.198
<b>SC11-441</b>	<i>No significant results</i>							